Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6087	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/19 05:35
L2	1	(failover) and ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L3	26	((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:41
L4	92	((flood$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:38
L5	66	L4 not L3	US-PGPUB; USPAT	OR	ON	2005/09/19 05:44
L6	8196	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L7	8170	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L8	8104	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm))))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:35
L9	336	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L10	20	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file)) and L1	US-PGPUB; USPAT	OR	ON	2005/09/19 05:35
L11	880	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L12	66	((flood$3) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:47
L13	220	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L14	0	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and (((configuration) adj (file)) near2 (load$3))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:35

L15	8	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L16	10	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L17	29	((flood$3) adj ((protocol) or (algorithm))) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:38
L18	2990	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L19	2984	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L20	501	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L21	501	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L22	1	(failover) and ((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:40
L23	6	((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:41
L24	23	L4 not L3 and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:45
L25	7	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:47
L26	23	((flood$3) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:47
L27	7	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48

L28	9	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L29	112	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L30	197	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:48
L31	6087	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/19 05:49
L32	92	((flood$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L33	8196	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L34	8170	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L35	8104	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm))))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L36	880	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L37	0	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((((configuration) adj (file)) near2 (load$3))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L38	1	(failover) and ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L39	26	((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L40	66	L4 not L3	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49

L41	20	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file)) and L1	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L42	66	((flood$3) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L43	8	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L44	10	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L45	220	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L46	336	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L47	29	((flood$3) adj ((protocol) or (algorithm))) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L48	2990	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L49	2984	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L50	501	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L51	501	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L52	1	(failover) and ((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L53	6	((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49

L54	23	L4 not L3 and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L55	23	((flood$3) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L56	7	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L57	7	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L58	9	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L59	112	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and L1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
L60	197	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm))) and ((configuration) adj (file)) and ((data) adj (packet))	US-PGPUB; USPAT	OR	ON	2005/09/19 05:49
S1	5512	((370/216) or (370/217) or (370/218) or (370/392) or (370/394) or (370/389)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/18 11:20
S2	1	(failover) and ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 11:21
S3	21	((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:30
S4	77	((flood$3) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:44
S5	56	S4 not S3	US-PGPUB; USPAT	OR	ON	2005/04/18 12:30
S6	56	((flood$3) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:49

S7	7435	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:48
S8	7414	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (protocol))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:45
S9	7358	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm))))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:46
S10	302	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:46
S11	19	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) not ((flood$3) adj (((protocol) or (algorithm)))) and ((configuration) adj (file)) and S1	US-PGPUB; USPAT	OR	ON	2005/04/18 12:47
S12	787	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and S1	US-PGPUB; USPAT	OR	ON	2005/04/18 12:48
S13	199	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and S1 and ((restor$7) or (failover) or ((fault) adj (tolerant)))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:53
S14	0	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and S1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and (((configuration) adj (file)) near2 (load$3))	US-PGPUB; USPAT	OR	ON	2005/04/18 12:54
S15	7	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and S1 and ((restor$7) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/04/18 13:02
S16	9	(((flood$3) or (rout$3)) adj ((protocol) or (algorithm))) and S1 and ((restor$7) or (restart) or (reload) or (failover) or ((fault) adj (tolerant))) and ((configuration) adj (file))	US-PGPUB; USPAT	OR	ON	2005/04/18 13:02